

GT54

Hatteras[®]



Arrangements



STANDARD FLYBRIDGE
ARRANGEMENT



STANDARD 3-STATEROOM /
2-HEAD ARRANGEMENT



OPTIONAL BOW
STATEROOM ARRANGEMENT

Specifications

OVERALL LENGTH	53'10"	16.41 M
OVERALL LENGTH W/BOW PULPIT	57'2"	17.43 M
WATERLINE LENGTH	47'7"	14.50 M
BEAM	17'3"	5.26 M
WEIGHT DISPLACEMENT	75,000 LB	34,019 KG
DRAFT	4'2"	1.28 M
FUEL CAPACITY	1,200 GAL	4,542 L
FRESHWATER CAPACITY	180 GAL	681 L
HOLDING TANK	95 GAL	360 L
DIESEL GENERATOR	17.0 KW	
TWIN CAT C-18A DIESEL ENGINES	1,135 BHP	1,150 MHP

The specification measurements are approximations and subject to variance.

STANDARD EQUIPMENT

PROPULSION

- Twin Caterpillar® C-18A 1,135 BHP Diesel Engines

EXTERIOR FINISH & CONSTRUCTION

- Isophthalic / NPG gel coat, exterior layer
- Hull and superstructure painted with a premium linear polyester/polyurethane coating for improved cosmetics and increased durability
- Polymer/copper based anti-fouling bottom paint
- Boot stripe, linear polyester/urethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Resin-infused solid fiberglass hull bottom and composite hull sides with premium vinyl ester resin and blister resistant gel coat below the waterline
- Molded fiberglass longitudinal stringers with steel engine beds
- Resin-infused bulkheads and interior decks using crosslinked foam core

HARDWARE & MISCELLANEOUS

- Hand crafted high gloss teak interior
- All interior hardware in chrome
- Anchor, 25' chain, 300' anchor line
- Four polished stainless steel spring cleats with chafing strips, through bolted in aluminum backing plate
- Two polished stainless steel bow cleats and chocks with chafing strips, two stern cleats and hawse pipes, through-bolted in aluminum backing plate
- Polished, anodized aluminum bow, flybridge rail and bridge ladder.
- Fog bell
- Dual electric horn
- Zincs on rudders and shafts
- Alloy 22 high-strength propeller shafts tapered with round keys for reduced stress concentrations at propeller and coupling ends
- Manganese bronze dripless rudder seals
- Dripless shaft seals with spare seals
- Trim tabs
- Manganese bronze struts
- Stainless steel rudders
- Nibral high performance propellers

- Reboarding steps to cockpit
- Deck plates for fuel and water fills and waste pump out
- Manganese shaft couplings
- Anchor locker on bow deck
- Air conditioning, 42,000 BTU capacity with reverse-cycle heating
- Ventilation fans in attic space

ENGINE COMPARTMENT & BILGE

- Painted pultruded fiberglass rudder shelf bolted to steel plates in the stringers
- AC fluorescent lights
- DC LED lights
- DC exhaust blowers
- Insulation in engine room ceiling for noise mitigation in salon
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- Polyethylene water lines
- Freshwater connection
- Pressurized freshwater pump
- 20-gallon water heater
- Water manifold with centralized shut-off valve for sinks and showers
- 24-volt DC bilge and sump pumps: three at 3700 gph, two at 2000 gph and four at 1100 gph, with heavy-duty float switches and protective guards
- Auxiliary emergency bilge pump, 150 gpm in lazarette
- Bronze chrome-plated ball valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Integral fiberglass fuel tank constructed with fire retardant resin and bronze fittings
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- 24-volt DC oil changing system for engines, gears and generator with Hatteras patented quick disconnect
- U.L. Marine-listed fuel filter/water separator, engines & generator
- Sealed shower sumps

- Electric fuel priming pumps, engines
- Powder coated grab rail
- Painted engine room and bilges
- US Coast Guard type A1 U.L. Marine-listed fuel lines
- 1" Stainless steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections
- Patented differential steering system for improved control in high speed turns (Patent #7895959B1)
- Insulation in deck for noise mitigation in salon
- Individual sea chests for each engine and genset, high speed seachest for water makers, air conditioners and raw water pumps
- Centralized drain line with single thru-hull
- DC voltmeter in battery panel
- Start/stop switches and hour meter
- Rubber deck mat between engines

ELECTRICAL SYSTEMS

- New – USB charging ports conveniently located in selected areas
- 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes (2)
- Tin coated wiring with insulation, labeled and color coded
- Automatic battery charger, 50/60 Hz
- Automatic battery paralleling switch at helm
- 240 volt, 50 amp, shore cords with over-current protection (one retractable, one fixed)
- DC LED lights
- Battery control panel with fuses and isolation switches
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Omni-directional TV antenna
- Two shoreline polarization transformers with boost function
- Ground fault protection on AC receptacles

FLYBRIDGE

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 full monitor
- Icom VHF, digital depth and temp
- L-shape bench with cushions and storage underneath
- Starboard side bench seat with cushions and storage underneath
- Freshwater outlet
- Control station with all necessary switches
- Compass with dimmable light
- Palm Beach style helm with single lever electric controls and steering wheel
- Hydraulic power-assisted steering
- Two (2) adjustable helmchairs
- DC AM/FM stereo receiver with USB dock and speakers
- Neutral interlock switches allowing engine to start in neutral only
- Fuel gauge
- Rod storage in starboard bench seat
- Top-loading freezer
- Additional storage under console

COCKPIT

- 135 square feet including mezzanine with seating and cushions
- Polished anodized aluminum ladder to flybridge with acrylic steps
- Transom door
- Sliding door to Salon
- Stereo speakers with remote keypad for control
- DC LED overhead lights under flybridge overhang
- Molded-in grab rails on cabinside
- Hatch to engine room
- Freshwater wash down outlet
- Shore water connection with pressure-reducing valve
- Bait and tackle center
- 5.4-cubic-foot bait freezer, port mezzanine
- Insulated storage boxes in mezzanine
- Removable insulated fish boxes with macerator
- Insulated drink box in top step of mezzanine
- Lazzaretto access hatch
- Aluminum mounting plate for installation of fighting chair
- Stainless steel rod holders (4)

- Transom hawsers
- Cockpit scuppers
- Cockpit hatches with gutter drains

GALLEY / DINETTE

- Durable engineered wood flooring
- Fabric headliner installed on track system
- DC LED lighting
- AC duplex outlets with ground fault protection
- Wood inserts to match interior finish on appliance fascia
- L-shaped dinette with storage under seat
- Solid-surface countertops with sink and storage cabinets made of finished wood
- Microwave/convection oven covered by cabinet door
- Undercounter refrigerator and freezer drawer unit (2)
- Four-burner ceramic cooktop
- Drawers (2) in galley fascia, (4) in upper cabinets behind doors
- Garbage disposal

SALON

- Carpeting
- Salon aft entry W/ durable engineered wood flooring
- Fabric headliner with wood accents installed on track system
- Teak cocktail table
- Polished stainless steel threshold at salon door
- 40" class TV
- Entertainment system
- Throw pillows
- Central vacuum
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- AC duplex outlets with ground fault protection
- L-shaped sofa with rod storage
- Smoke and carbon monoxide detector
- HVAC control

COMPANIONWAY

- Carpeting
- Fabric headliner installed on track system
- Fabric covered hullsides and bulkheads installed on track system
- Flush panel doors with door stops to staterooms and head

- Lighted stairway to salon
- DC LED lighting
- Access to port & starboard attic storage, electric panels, and electric water tank gauge with DC light
- Access hatches to all bilges
- Wainscoting

MASTER STATEROOM

- Carpeting
- Fabric headliner installed on track system
- Fabric covered hullsides and bulkheads installed on track system
- Queen-sized berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC mattress, bunk cover, pillows, shams and linens
- Cedar lined hanging locker with doors, shelf and automatic light
- Nightstands
- Dresser
- 28" class LED TV
- Entertainment system
- Full length mirror
- DC LED lighting
- DC low-voltage lights under berth
- AC duplex outlets with ground fault protection
- Private access to head
- Smoke and carbon monoxide detector
- HVAC control

MASTER STATEROOM HEAD

- Durable engineered wood flooring
- Fabric headliner installed on track system
- Wallcovering
- Solid-surface countertop, backsplash with vessel sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet with storage
- Towel bar
- Freshwater toilet
- Recirculating fan
- DC LED lighting
- AC duplex outlets with ground fault protection
- Plexi mirror around upper cabinet
- Holding tank 3/4 full indicator lights

BOW STATEROOM

- Carpeting
- Fabric headliner installed on track system
- Fabric covered hullsides and bulkheads installed on track system
- Queen sized tapered berth with upholstered headboard and cedar lined storage underneath
- Upholstered berth base
- HMC mattress, bunk cover, pillows, shams and linens
- Cedar lined hanging/storage lockers with automatic light
- Nightstands, port and starboard
- 28" class LED TV
- DC AM/FM Stereo with DVD player, USB port and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlets with ground fault protection
- Private access to head
- Smoke and carbon monoxide detectors
- Screened overhead hatch with privacy cover
- Washer/dryer
- HVAC control

STARBOARD STATEROOM

- Carpeting
- Fabric headliner installed on track system
- Fabric covered hullsides and bulkheads installed on track system
- Twin berths with storage under outer berth
- Private access to head
- Upholstered berth bases
- HMC mattress, bunk cover, pillows, shams and linens
- Double cedar-lined hanging locker with doors, shelf and automatic light
- Nightstand
- Full-length mirror
- DC LED lighting
- DC AM/FM Stereo w/CD player and dual cone stereo speakers
- HVAC control

GUEST HEAD

- Durable engineered wood flooring
- Fabric headliner installed on track system
- Wallcovering
- Solid surface countertop, backsplash and vessel sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- Recirculating fan
- DC LED lighting
- AC duplex outlets with ground fault protection
- Holding tank 3/4 full indicator lights

PROVISIONING ITEMS

- Braided nylon mooring lines (6)
- Life jackets (6)
- Life ring
- Black fenders (3)
- Prop removal and installation tool
- Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards

FOOTNOTES

Information in this publication is based on the latest product specifications available at press time. Some line drawings, photos or arrangements may show optional and/or custom equipment. Hatteras reserves the right to make changes at any time, without notice, in the colors, equipment, specifications, materials and price of any model or to discontinue any model. Hatteras is not obligated to make similar changes or modifications to models sold prior to the date of such changes.

Length Overall does not include optional swim platform or bow pulpit.

Weight, draft, and freeboard are based on an estimate of model's displacement with largest engines available and all tanks filled. Heights are estimated with largest engines and all tanks empty. Actual figures will vary depending on production tolerances, equipment, supplies and stores on board, as well as operational and sea conditions. Capacities of tanks are estimated to be total capacity of all tanks normally furnished in this model. Usable capacities will vary depending upon conditions.

Generator is not intended to supply power for all standard and optional accessories simultaneously. Load must be limited to generator output rating.

Hatteras[®]

Hatteras Yachts | 110 North Glenburnie Road | New Bern, North Carolina, U.S.A. | www.HatterasYachts.com

Note: Not all accessories shown in pictures or described herein are standard equipment or even available as options. Options and features are subject to change without notice.

Not all model year boats may contain all the features or meet the specifications described herein. Confirm availability of all accessories and equipment with an authorized Hatteras Yachts dealer prior to purchase. Printed in the U.S.A. February 2017. ©Hatteras Yachts